

# 27

1. ... iPad ... .2 OTA
  3. 500 ... .4
  - .5
  - .6
  - .7
  - .8
  - .9
- RSS/ppt/pdf

## Table 1

...	...
...	621.2 ... × ... × ... 20 * ... 359.8 * ...
...	...
...	...
...	5.6 ...

## Table 2

...	27 ...
...	597.9 ... 336.3 * ( ... )
...	16:9
...	1920*1080
...	450 ... ²/...
...	1200:1
...	(89°89°89°89( ... / ... / ... / ... )°
...	6 ...
...	16.7 ...

## Table 3

...	Amlogic T972 ... Cortex-A55 ... 1.9
...	2 4 ...
...	16 ...
...	2.4 ... G ... 5 / ... 2.4) ...
...	BT4.2
...	100 ... RJ45
...	2* ...
...	1* ...
...	1* ...
...	1* ...
...	9.0 ...
OSD ...	...

□□□□

□□□□□□ □□

□□□□□ □□□□□□□ □□□□□ □□□□

□□□□□□ □□□□□ □□□□

□□□□□□ □□□□

100 □□□□□ □□□□ □□□□ 240 ~ □□□□

≥23 □□□

-10 □□□□□ □□□□ 50~ □□□□□ □□□□

2\*5 □□□

## Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

# New upgrade




Auto loop playback



Support horizontal screen,  
vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7\*24 hours  
loopplay




1920x1080



Super performance

# Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.



# Timer Switch Function

Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.



Support 24 hours uninterrupted playback

# Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.



# Narrow Bezel, More fashionable



Frame  
10mm

# Easily manage your advertising content



Smart Connect



Remote Control



Real-time  
Monitoring





Data  
Management



# APPLICATION SCENARIO



# PRODUCT SIZE



Customizable size: 21.5"/ 24"/ 27"/ 32"/ 43"/ 49"/ 55"/ 65"

