

- 1.

- 8. 000000/00/00000000

	0000
	621.2mm * 359.8mm * 20mm
	0000000
	5.6[[
000	
	27[TFT LED
	597.9mm([])*336.3mm([])
	16:9
	1920*1080 450cd/m ² [][][][]
000000/0000 000	1200:1
	([]/[]/[])89°/89°/89°/89°
	600
	16.7M
	Amlogic T972 □ Cortex-A55 CPU □ 1.9GHz
DDR	2GB DDR4
EMMC	16 GB
	□□2.4G WiFi□2.4GHz/5GHz□□□
	BT4.2
	100M□□□RJ45
	USB*2
	*1
0000	100V~240V□□
	≤23W

-10 °C ∏50 °C

2*5W

Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

New upgrade



Auto loop playback



Support horizontal screen, vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7*24 hours looplay



1920x1080



Super performance

Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.









Timer Switch Function

Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.






Support 24 hours uninterrupted playback

Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.







Easily manage your advertising content













Real-time Monitoring



Data Management



APPLICATION SCENARIO











PRODUCT SIZE





Customizable size: 21.5"/ 24"/ 27"/ 32"/ 43"/ 49"/ 55"/ 65"

a aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
00000000000000000000000000000000000000
000000000 00000 00000000 HDMIOUSB (WiFiOOOOOOOOOOO (CMS) 000000000000000000000000000000000000
000000 00000 0000000000000000000000000
00000000 00000000000000000000000000000
00000000 27 0000000000000000000
 000000000000000000000000000000000000
000000 0000000000000000000000000000000
000000 <mark>0000</mark> 000 0 0000000000 27 00000000 000000000000000000000000000
00 00000000000000000000000000000000000