

27吋 工業電腦顯示器

1. 支援 PC、Linux、Android 系統
2. 支援 OTS 遠端更新功能
3. 500ms 響應時間，畫面清晰，無拖影。
4. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。
5. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。
6. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。
7. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。
8. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。
9. 支援多種顯示模式，如：全螢幕、分屏、放大、縮小等。

基本規格

顯示器	顯示器
顯示器	621.2mm * 359.8mm * 20mm(含安裝孔)
顯示器	顯示器 顯示器 顯示器
顯示器	顯示器 顯示器
重量	5.6KG

顯示器規格

顯示器	27吋 TFT LED
顯示器	597.9mm(H)*336.3mm(V)
顯示器	16:9
顯示器	1920*1080
顯示器(亮度)/顯示器	450cd/m ² 顯示器
顯示器	1200:1
顯示器	(顯示器/顯示器/顯示器)89°/89°/89°/89°
顯示器	6ms
顯示器	16.7M

系統規格

CPU	Amlogic T972 顯示器 Cortex-A55 CPU 顯示器 1.9GHz
DDR	2GB DDR4
EMMC	16GB
WiFi	顯示器 2.4G WiFi(2.4GHz/5GHz 顯示器)
顯示器	BT4.2
顯示器	100M, 顯示器 RJ45
顯示器	USB * 2
顯示器	DC 顯示器 *1
顯示器	顯示器 *1
顯示器	顯示器 *1
顯示器	顯示器 9.0
顯示器 OSD:	顯示器, 顯示器, 顯示器, 顯示器, 顯示器 顯示器 顯示器

環境規格

顯示器	100V~240V AC
顯示器	23W 顯示器
顯示器	-10 °C ~50 °C
顯示器	2*5W

Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

New upgrade



Auto loop playback



Support horizontal screen,
vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7*24 hours
loopplay




1920x1080



Super performance

Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.



Timer Switch Function

Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.



Support 24 hours uninterrupted playback

Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.



Narrow Bezel, More fashionable



Frame
10mm

Easily manage your advertising content



Smart Connect



Remote Control



Real-time
Monitoring




Data
Management



APPLICATION SCENARIO



PRODUCT SIZE



Customizable size: 21.5" / 24" / 27" / 32" / 43" / 49" / 55" / 65"

