

□□ □□□ □□ □□□ □□ □□□ □□ □□

1. □□□, □□□□, PC□□ □□□ □□ □ □□ □□
2. □□ □□ □□□□□ □□ □ OTA □□□□□□ □□ □□□□□ □□
3. 500ms □□□ □□□ □□□□ □□□ □□ □□□ □□ □□□ □□□□□ □□□ □□□□□.
4. □□□□ □□ □□ □□ □□ □□, □□ □□ □□ □□, □□ □□, □□□□, □□ □□ □□ □□□□□.
5. □□□ □□□□ □□, □□□ □□, □□□□ □□□ □□ □□ □□□□ □□ □ □□□ □□ □□□ □□□ □□
6. □□□ □□□ □□□ □□ □ □□ □□ □□□□□□. □□ □ □□□ □□ □□□ □□, □□ □ □□□ □□□ □ □□□□.
7. □□□□□ □□/□□/□□/□□ □□□ □□□□□ □□□ □□ □□□□□ □□□□□□.
8. □□□□□ □□/□□/□□ □ □□□ □□ □□□ □□□□□□.
9. □□□/□□□/□□□/□□/□□□/□□□/□□□/□□□ □ □□□ □□□□ □□□ □ □□□□.

□□

□□.	□□□ □□ □□□
□□	621.2mm * 359.8mm * 20mm(□□x□□x□□)
□□	□□ □□□ □□□□ □□ □□
□□	□□□□ □□□
□□□	5.6KG

□□

□□ □□	27□□ TFT LED
□□ □□	597.9mm(H)*336.3mm(V)
□□ □□	16:9
□□ □□□	1920*1080
□□(□□)/(□□)	450cd/m ² □□(□□)
□□□	1200:1
□□□	(□/□□/□□/□□□)89°/89°/89°/89°
□□ □□	6ms
□□	16.7M

□□□□

CPU	Amlogic T972 □□ □□ Cortex-A55 CPU □□ 1.9GHz
DDR	2GB DDR4
EMMC	16GB
WiFi	□□ 2.4G WiFi(2.4GHz/5GHz □□)
□□□□	BT4.2
□□□	100M, □□ RJ45
	USB * 2
	DC □□ *1
	□□□ *1
	□□□ *1
□□	□□□□□ 9.0
□□ □□ OSD:	□□□, □□, □□□□, □□, □□□□, □□□□ □ □□ □□ □□

□□

□□ □□	100V~240V AC
□□ □□ □□	23W □□
□□ □□	-10 °C ~50 °C
□□ □□□	2*5W

Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

New upgrade



Auto loop playback



Support horizontal screen,
vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7*24 hours
loopplay



1920x1080



Super performance

Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.



Timer Switch Function

Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.



Support 24 hours uninterrupted playback

Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.



Narrow Bezel, More fashionable



Frame
10mm

Easily manage your advertising content



Smart Connect



Remote Control



Real-time
Monitoring





Data
Management



APPLICATION SCENARIO



PRODUCT SIZE



Customizable size: 21.5"/ 24"/ 27"/ 32"/ 43"/ 49"/ 55"/ 65"

በዚህ ሰነድ ላይ የተገለጹት መረጃዎች የተጠቃሚውን ጥያቄ ለማሟላት የተዘጋጁ ናቸው። ለተጨማሪ መረጃዎች፣ ጥያቄዎን ይጠቅሙ።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት?

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።

የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል። የደንበኞች አገልግሎት ለሁሉም ጥያቄዎች ይጠቅማል።