

27吋 工業顯示器

1. 支援 PC 串流, PC 串流 顯示 畫面 顯示
2. 支援 遠端 更新 顯示 畫面 OTA 更新 顯示 畫面
3. 500ms 響應 時間 顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面.
4. 支援 顯示 畫面 顯示 畫面 顯示 畫面, 顯示 畫面, 顯示 畫面, 顯示 畫面 顯示 畫面.
5. 支援 顯示 畫面, 顯示 畫面, 顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面
6. 支援 顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面. 顯示 畫面 顯示 畫面 顯示 畫面, 顯示 畫面 顯示 畫面 顯示 畫面.
7. 支援 顯示 畫面/顯示 畫面/顯示 畫面 顯示 畫面 顯示 畫面 顯示 畫面.
8. 支援 顯示 畫面/顯示 畫面 顯示 畫面 顯示 畫面.
9. 支援 顯示 畫面/顯示 畫面/RSS/顯示 畫面/ppt/pdf 顯示 畫面 顯示 畫面 顯示 畫面.

基本規格

顯示器	顯示 畫面 顯示 畫面
顯示器尺寸	621.2mm * 359.8mm * 20mm(寬x高x厚)
顯示器重量	顯示 畫面 顯示 畫面 顯示 畫面
顯示器淨重	顯示 畫面
顯示器毛重	5.6KG

顯示器規格

顯示器類型	27吋 TFT LED
顯示器尺寸	597.9mm(H)*336.3mm(V)
顯示器比例	16:9
顯示器解析度	1920*1080
顯示器亮度	450cd/m ² 顯示 畫面
顯示器對比度	1200:1
顯示器視角	(H/V/側/側)89°/89°/89°/89°
顯示器響應時間	6ms
顯示器壽命	16.7M

系統規格

CPU	Amlogic T972 顯示 畫面 Cortex-A55 CPU 顯示 畫面 1.9GHz
DDR	2GB DDR4
EMMC	16GB
WiFi	顯示 畫面 2.4G WiFi(2.4GHz/5GHz 顯示 畫面)
藍牙	BT4.2
網路	100M, 顯示 畫面 RJ45
USB	USB * 2
DC 電源	DC 顯示 畫面 *1
顯示 畫面	顯示 畫面 *1
顯示 畫面	顯示 畫面 *1
顯示 畫面	顯示 畫面 9.0
顯示 畫面 OSD:	顯示 畫面, 顯示 畫面, 顯示 畫面, 顯示 畫面, 顯示 畫面 顯示 畫面 顯示 畫面

環境規格

顯示 畫面 顯示 畫面	100V~240V AC
顯示 畫面 顯示 畫面	23W 顯示 畫面
顯示 畫面 顯示 畫面	-10 °C ~50 °C
顯示 畫面 顯示 畫面	2*5W

Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

New upgrade




Auto loop
playback



Support horizontal screen,
vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7*24 hours
loopplay




1920x1080



Super performance

Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.



Timer Switch Function


Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.




Support 24 hours uninterrupted playback

Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.



Narrow Bezel, More fashionable



Frame
10mm

Easily manage your advertising content



Smart Connect



Remote Control



Real-time
Monitoring





Data
Management



APPLICATION SCENARIO



PRODUCT SIZE



Customizable size: 21.5" / 24" / 27" / 32" / 43" / 49" / 55" / 65"

