Android TV Box 4K with Amlogic S928X Chipset 8GB RAM

Model No.	2 40 -4	
CPU Amlogic S928X A big core ARM Cortex-A76 and quad core ARM Cortex-A55 CPU GPU ARM G57" MCZ GPU OpenGL ES 3.2, Vulkan 1.2 and OpenCL 2.0 support ROM 4GB/8GB (LPDDR4 or LPDDR4X) Internal Storage 32GB (16GB/32GB/126GB optional) OS Android 11 Language Multi-Language Wilti-Language Multi-Language Bluetooth Bluetooth 5.2 Video&Audio Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEV MP-10@16.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3-P16(AVS+) JAVS-P2 JiZhun Profile up to 1880P@60fps AVS-P16(AVS+) JAVS-P2 JiZhun Profile up to 1080P@60fps A	Specifications	
ARM G57" MC2 GPU OpenGL ES 3.2, Vulkan 1.2 and OpenCL 2.0 support	Model No.	ů .
ROM	CPU	
Internal Storage 32GB (16GB/32GB/128GB optional)	GPU	ARM G57™ MC2 GPU OpenGL ES 3.2, Vulkan 1.2 and OpenCL 2.0 support
OS Android 11 Language Multi-Language Wi-Fi 2.4 GHZK 5. 8 GHZ MAX 1200Mbps IEEE802.11a/b/g/n/ac/ax Bluetooth Bluetooth 5.2 Video&Audio Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10@L6.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps MPEG-4 ASP@L5 up to 1080P@60fps MPEG-4 ASP@L5 up to 1080P@60fps AVS-P16(AVS+) /AVS-P2 Jizhun Profile up to 1080P@60fps MPEG-2 MP/HL up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MPEG-2 and /PEG unlimited pixe I resolution decoding (ISO/IEC-10918) Supports PJPEG thumbnail, scaling, rotation and transition effects Supports MP3, AAC, WMA, RM, FLAC, Ogg and programmable with 7.1/5.1 down-mixing Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB2.0 Micro SD 1* USB2.0 Micro SD 1* T F card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional	ROM	4GB/8GB (LPDDR4 or LPDDR4X)
Language Multi-Language Wi-Fi 2.4GHZ& 5.8GHZ MAX 1200Mbps IEEE802.11a/b/g/n/ac/ax Bluetooth Bluetooth 5.2	Internal Storage	32GB (16GB/32GB/128GB optional)
Wi-Fi 2.4GHZ& 5.8GHZ MAX 1200Mbps IEEE802.11a/b/g/n/ac/ax Bluetooth 5.2 Video&Audio Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10gi-l.0.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps AVS2-P2 Profile up to 18Kx4K@60fps AVS2-P2 Profile up to 18Kx4K@60fps AVS2-P2 Profile up to 18Kx4K@60fps AVS2-P2 Profile up to 1080P@60fps (ISO-14496) WMV/VC-1 SP/MP/AP up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MJPEG-2 MP/HL up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) Supports PBG thumbnail, scaling, rotation and transition effects Supports *Mx, *xmx, *mpg, *mpeg, *dat, *avi, *mov, *.iso, *.mp4, *rm and *.jpg file formats Supports MP3, AAC, WMA, RM, FLAC, Ogg and programmable with 7.1/5.1 down-mixing Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB3.0 1* USB3.0 1* USB2.0 Micro SD 2* External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* FF card HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 2* Ethernet 1000 RTC optional	OS	
Bluetooth Bluetooth 5.2 Video&Audio Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10@L6.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496) WMV/C-1 SP/MPAP up to 1080P@60fps (ISO-13818) MVC-1 SP/MPAP up to 1080P@60fps AVS-P16(AVS+) /AVS-P2 Jizhun Profile up to 1080P@60fps MPEG-2 MP/HL up to 1080P@60fps (ISO-13818) MUltiple language and multiple format sub-title video support MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) Supports JPEG thumbnail, scaling, rotation and transition effects Supports *mkv,*wmv,*mpg, *mpeg, *dat, *avi, *mov, *iso,*mp4, *rm and *jpg file formats Audio Supports MP3, AAC, WMA, RM, FLAC, Ogg and programmable with 7.1/5.1 down-mixing Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB3.0 1*	3 3	9 9
Video&Audio Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10@16.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496) WMV/VC-1 SP/MP/AP up to 1080P@60fps AVS-P16(AVS+) /AVS-P2 jiZhun Profile up to 1080P@60fps MPEG-2 MP/HL up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) Supports PEG thumbnail, scaling, rotation and transition effects Supports *mkv*,wmv*,mmg*, *mpeg, *dat, *avi, *mov, *iso, *mp4, *.rm and *jpg file formats Audio Supports *mkv*,wmv, *mpg, *mpeg, *dat, *avi, *mov, *.iso, *mp4, *.rm and *jpg file formats Port USB port 1* USB3.0 1* USB3.0 1* USB3.0 1* USB2.0 Micro SD 2* External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional		1
Support 8K@60fps Video decoding VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10@6.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS3.Phase 1 up to 8Kx4K@60fps AVS2.P2 Profile up to 8Kx4K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496) WMV/VC-1 SP/MP/AP up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) Supports JPEG thumbnail, scaling, rotation and transition effects Supports *mkv,*wmv,*mpg, *mpeg, *dat, *avi, *mov, *iso,*mp4, *rm and *,jpg file formats Audio Supports MP3, AAC, WMA, RM, FLAC, Ogg and programmable with 7.1/5.1 down-mixing Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB3.0 1* USB3.0 1* USB2.0 External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional		Bluetooth 5.2
VP9 Profile-2@6.1 up to 8Kx4K@60fps	Video&Audio	
Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB3.0 1* USB2.0 Micro SD External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional Power	Multimedia Video	VP9 Profile-2@6.1 up to 8Kx4K@60fps H.265 HEVC MP-10@L6.1 up to 8Kx4K@60fps AVS3 Phase 1 up to 8Kx4K@60fps AVS2-P2 Profile up to 8Kx4K@60fps H.264 AVC HP@L5.2 up to 4Kx2K@60fps H.264 AVC HP@L5.2 up to 1080P@60fps MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496) WMV/VC-1 SP/MP/AP up to 1080P@60fps AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to 1080P@60fps MPEG-2 MP/HL up to 1080P@60fps (ISO-13818) Multiple language and multiple format sub-title video support MJPEG and JPEG unlimited pixel resolution decoding (ISO/IEC-10918) Supports JPEG thumbnail, scaling, rotation and transition effects Supports *.mkv,*.wmv,*.mpg, *.mpeg, *.dat, *.avi, *.mov, *.iso,*.mp4, *.rm and *.jpg file formats
Image JPEG image encoding up to 1080P@60fps Port USB port 1* USB3.0 1* USB2.0 Micro SD External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional Power	Audio	
USB port 1* USB3.0 1* USB2.0 Micro SD External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional Power	Image	
1* USB2.0 Micro SD External memory 1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional	Port	
1* TF card HDMI HDMI 2.1a 8Kx4K@60hz max resolution output Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional Power	USB port	
Audio SPDIF 1* SPDIF OUT 3.5mm AUDIO JACK Ethernet Ethernet 1000 RTC optional Power	Micro SD	
Ethernet Ethernet 1000 RTC optional Power	HDMI	HDMI 2.1a 8Kx4K@60hz max resolution output
RTC optional Power	Audio SPDIF	1* SPDIF OUT 3.5mm AUDIO JACK
Power	Ethernet	Ethernet 1000
	RTC	optional
Power Supply DC IN(5V/3A)	Power	
	Power Supply	DC IN(5V/3A)























The Android TV Box 4K with Amlogic S928X Chipset and 8GB RAM is designed to revolutionize your home entertainment experience by delivering seamless 4K Ultra HD streaming and high-speed performance. Powered by the advanced Amlogic S928X chipset, this media player boasts incredible processing power that allows for smooth multitasking and efficient handling of high-resolution content. Whether you're streaming movies, playing games, or running IPTV services, this Android TV box provides the ultimate solution for all your media needs.

The **8GB RAM** featured in this device is a key component for ensuring smooth, lag-free performance, even when handling multiple tasks or high-bandwidth applications. With 8GB of memory, the TV box can efficiently manage app loads, video buffering, and system tasks without any noticeable slowdown, providing a consistently fast and responsive user experience. This makes it an ideal choice for those who demand high performance from their media players, especially when streaming **4K Ultra HD content**.

In terms of video quality, this Android TV box is built to impress. It supports **4K Ultra HD resolution**, delivering razor-sharp picture quality with exceptional detail. Additionally, the device features **HDR10 technology**, which enhances the dynamic range of your content, providing richer colors, deeper blacks, and brighter highlights for a more immersive viewing experience. Whether you're watching the latest blockbuster movie or streaming a high-quality TV show, the visual clarity and depth offered by this TV box elevate your home theater setup.

One of the standout features of this device is its support for **H.265 video decoding**. This technology significantly reduces bandwidth usage by compressing video data without sacrificing video quality. This is particularly useful for those who stream content over the internet, as it minimizes buffering and ensures smooth playback even when streaming large 4K files. Paired with **dual-band Wi-Fi** and **Ethernet support**, the device offers reliable and fast connectivity, allowing users to enjoy uninterrupted streaming and gaming experiences.

Running on **Android OS**, the TV box grants access to a wide variety of apps from the **Google Play Store**, including popular streaming services such as **Netflix**, **YouTube**, **Amazon Prime**, and more. With Android's flexibility, users can also download IPTV apps, games, or productivity tools, turning this device into a versatile entertainment hub.

For those seeking easy connectivity, the **Android TV Box with Amlogic S928X** includes multiple ports, such as **USB**, **HDMI**, and **AV output**. These ports allow you to connect external devices like hard drives, keyboards, game controllers, or sound systems, offering full customization of your entertainment setup. Whether you want to play locally stored media, control the box with external peripherals, or improve your sound system with high-quality audio output, this device is built to adapt to your needs.

In conclusion, the <u>Android TV Box</u> **4K with Amlogic S928X Chipset and 8GB RAM** offers a complete, high-performance solution for modern home entertainment. With its powerful processing capabilities, exceptional video quality, and seamless connectivity, this Android TV box is ideal for users looking to upgrade their home theaters or IPTV setups. Available at <u>www.sztomato.com</u>, this media player combines cutting-edge technology with a user-friendly interface, making it a perfect choice for anyone seeking a superior streaming experience.