

27

1. iPad
2. OTA
3. 500ms
- 4.
- 5.
- 6.
- 7.
- 8.
9. RSS/ppt/pdf

Panel	
Panel	621.2 mm. * 359.8 mm. * 20 mm. (mm x mm x mm)
Resolution	1920*1080
Refresh Rate	5.6Hz
Display	
Panel Type	27" TFT LED
Panel Size	597.9 mm.(H)*336.3 mm.(W)
Aspect Ratio	16:9
Resolution	1920*1080
Brightness (Typical)	450cd/m ² nits (Typical)
Contrast Ratio	1200:1
Viewing Angle	(H/V/Diagonal) 89°/89°/89°/89°
Response Time	6ms
Weight	16.7kg
Performance	
Processor	Amlogic T972 Quad-Core Cortex-A55 1.9GHz
RAM	2GB DDR4
Storage	16GB
Network	WiFi 2.4G (Optional 2.4GHz / 5GHz)
Ports	4.2
Connectivity	100M, RJ45
OS	Android 9.0
OSD	
Power	
Power Input	100V~240V

□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□
□□□□□□□□□□□□

≤23□□□□□
-10 °C ~50 °C
2*5W

Ultra-Thin Design Wall Mount Digital Signage



METAL FRAME + TEMPERED GLASS

New upgrade



Auto loop playback



Support horizontal screen,
vertical screen



Remote control



Intelligent Split Screen



WIFI



Timer switch



7*24 hours
loopplay




1920x1080



Super performance

Intelligent Split Screen

Full screen, split screen, autonomous screen division, one video screen on one screen, multiple picture screens, multiple videos can be played under one target video.



Timer Switch Function

Support 24 hours of uninterrupted work, intelligent control of playback content, time and switch equipment, so that you save time, effort and worry.



Support 24 hours uninterrupted playback

Horizontal and vertical suspension

Two suspension modes, flexible switching, can meet different application scenarios, different viewing needs.



Narrow Bezel, More fashionable



Frame
10mm

Easily manage your advertising content



Smart Connect



Remote Control



Real-time
Monitoring




Data
Management



APPLICATION SCENARIO



PRODUCT SIZE



Customizable size: 21.5" / 24" / 27" / 32" / 43" / 49" / 55" / 65"

27
Ultra-HD

27
Ultra-HD

HDMI, USB WiFi
CMS

27

-
-
-
-

CMS

